

VELCRO® Brand

High Technology Hook



MOLDED HOOK FASTENERS OFFERING A RANGE OF PERFORMANCE CHARACTERISTICS



VELCRO® Brand

High Technology Hook

Applications




Hook Styles



- Designed for high profile woven and knit loops
- 750 hooks per square inch
- Hook height: 0.035 inches
- Standard hooks: 705, 704, 711, 745



- Designed for low profile knit loops
- 900 hooks per square inch
- Hook height: 0.028 inches
- Standard hooks: 805, 811, 845



- Designed for high profile woven and knit loops
- 130 hooks per square inch
- Hook height: 0.097 inches
- Standard hooks: 757, 752

Choose the right hook for your needs...

We offer countless hook style and resin combinations to meet a wide range of applications. Below are our most popular hooks. Please contact us for additional details on our full product line.

Hook	Style	Resin	Benefits
705	15	Nylon	Ideal for applications using adhesives
704	15	Polyester	UV and chemical resistant
711	15	Polyethylene	Economical
745	15	Nylon	For sew-on applications
719	15	Nylon	Uni-directional hook for applications requiring high shear
805	22	Nylon	Ideal for applications using adhesives
811	22	Polyethylene	Economical
845	22	Nylon	For sew-on applications
848	22	Vinyl	RF weldable



29

- Designed for low profile knit and nonwoven loops
- 1700 hooks per square inch
- Hook height: 0.02 inches
- Standard hooks: 833, 830



99

- Designed for low to medium profile woven and knit loops
- 375 hooks per square inch
- Hook height: 0.025 inches
- Standard hooks: 841



108

- Designed for low profile knit and nonwoven loops
- 916 hooks per square inch
- Hook height: 0.015 inches
- Standard hooks: 847

Hook	Style	Resin	Benefits
886	22	Nylon	For mold-in applications; Knit 3200 scrim back
810	22	Nylon	RF weldable
757	24	Nylon	For heavy duty applications with little to no cycling
752	24	Polypropylene	For heavy duty and outdoor applications; available in silver only
833	29	Nylon	Very low profile
830	29	Polypropylene	Very low profile
841	99	Nylon	Sewable; nylon scrim back
744	99	Vinyl	RF Weldable
847	108	Polypropylene	Soft, flexible, disposable

Ask us about the VELCRO® Brand solutions for...

Medical & Orthopedics

- VELCRO® Brand Laminates
- VELCRO® Brand EVAPEX™ Fabric
- VELCRO® Brand Double-Faced Loops

Packaging & Bundling

- VELCRO® Brand Bundle Ties
- VELCRO® Brand Easy Coins
- VELCRO® Brand PRESS-LOK™

Displays & Exhibits


- VELCRO® Brand ONE-WRAP®
- VELCRO® Brand Qwik Ties
- VELCRO® Brand Woven Fasteners



Benefits

- Molded plastic hook is available in a range of resins (nylon, polyester, vinyl, polyethylene, polypropylene) to suit your particular application
- Molded hook shapes are engineered for superior performance with VELCRO® Brand woven and knit loops
- Most VELCRO® Brand HTH products are available wide and can also be converted into die-cut shapes and cut or scored pieces
- Variety of backings available including sewable scrim, weldable and heat sealable coatings, and pressure sensitive adhesives

VELCRO® Brand HTH provides an optimal balance of performance and comfort in this knee brace





ISO 9001
QMI-SAI Global

THE VELCRO COMPANIES ARE WORLDWIDE LEADERS IN FASTENING SYSTEMS OFFERING A WIDE RANGE OF SOLUTIONS FROM STANDARD HOOK AND LOOP TO COMPLETE FINISHED PRODUCTS.

50 YEARS OF EXPERIENCE : WE ARE PROUD OF OUR HERITAGE IN INNOVATION, HAVING OVER 300 ACTIVE PATENTS TO OFFER BETTER SOLUTIONS TO SATISFY OUR CUSTOMERS' NEEDS.



TS 16949
QMI-SAI Global



WORLDWIDE LOCATIONS

